

CONTENTS

BAUMGART-KOTARBA M.: Mechanism of braided alluvial plain formation — coarse gravel sedimentary environment as example	5
BURACZYŃSKI J., BUTRYM J.: The Vistulian development of a sandy plain in the Sandomierz Basin	17
DROZDOWSKI E.: Observations of debris transport and discharge on K2 Glacier, West China — implications for a depositional model of the Karakorum valley glaciers	31
HUYBRECHTS W., MYCIELSKA-DOWGIAŁŁO E.: Textural features of fluvial and aeolian deposits in the Mark river valley (Belgium)	49
KARCZEWSKI A.: Development and extent of the Pomeranian Phase marginal zone within the Parsęta lobe during the Vistulian Glaciation	61
KASPRZAK L., KOZARSKI S.: Ice-lobe contact sedimentary scarps in marginal zones of the major Vistulian ice-sheet positions, west-central Poland	69
KŁATKOWA H.: The incorporation of closed depressions into the open erosional system as one of the models of head valley stretch fashioning in the Vistulian	83
KLIMEK K.: Flood plains activity during floods in small mountain valleys, the Bieszczady Mts, the Carpathians, Poland	93
KOSTRZEWSKI A., KLIMCZAK R., STACH A., ZWOLIŃSKI Z.: Morphologic effects of heavy rainfall (24 May, 1983) over relief features of the scarpland in the middle Parsęta valley, west Pomerania, Poland	101
LINDNER L., MARKS L.: Impact of icebergs on relief development of marine beaches in Spitsbergen	111
MŁYNARCZYK Z.: A new method of measurement of sand particle entrainment velocity in the river channel bed	121
ROTNIICKI K.: Dating bases for glaciotectionic deformations	129
SZCZYPEK T., WACH J.: Accumulation phases of the Quaternary deposits in the Błędów Desert based on lithological studies	137
WOJCIECHOWSKI A.: A lithofacies sequence model for South Baltic lagoonal deposits, Lake Gardno, Poland	147
ZUCHIEWICZ W.: Morphotectonic phenomena in the Polish Flysch Carpathians: a case study of the eastern Beskid Niski Mts	155